

Index*

Abbreviations and acronyms

- list of, 1.9.1

Acronyms and abbreviations

- list of, 1.9.1

Adhesives

- specifications for HEPA filter, Appendix A.4.2.4

Adsorber banks

- definition of, 2.4.6

Adsorbers

- (see Charcoal adsorbers and Inorganic adsorbers)

Air cleaning stage

- definition of, 2.4.7

Air cleaning system

- definition of, 2.4.3

Air cleaning systems

- (see Emergency air cleaning systems, High-efficiency air cleaning systems, and Portable air cleaning systems)

Air cleaning unit

- definition of, 2.4.2

Air sampling

- for performance testing of high-efficiency air cleaning systems, 2.7

Air-supply filters

- for nuclear facilities, 2.3.3

Bank systems

- arrangement of, 4.1, 4.4.5

- floor plan of, 4.4.6

- horizontal, size and arrangement of, 4.4.2

- size and arrangement of charcoal adsorber, 4.4

- size and arrangement of HEPA filter, 4.4

- size of, 4.4.4

- vertical, size and arrangement of, 4.4.1

Branched system

- definition of, 2.4.14

Buildings

- air-supply filters, 2.3.3

Canyons

- air cleaning requirements, 2.2.1

Cases

- corrosion resistance of HEPA filter, 3.2.6

- for HEPA filters, 3.2.2

- moisture resistance of HEPA filter, 3.2.6

Caves

- air cleaning requirements for, 2.2.1

Clamps

- for charcoal adsorbers, 4.3.4

- for HEPA filters, 4.3.4

Charcoal

- density of adsorber grade, 3.4.4

- hardness of adsorber grade, 3.4.4

- physical properties of adsorber grade, 3.4.4

- sources of adsorber grade, 3.4.4

Charcoal adsorbers

- airflow capacity of, 3.4.2

- airflow capacity testing of, 8.2.3

- airflow distribution testing of, 8.2.4

- airflow resistance of, 3.4.2

- adsorbents for, sampling and testing of, 8.3.4

- aging or weathering of, 3.4.2

- bank systems of, size and arrangements of, 4.4

- capacity of, 3.4.2

- change frequency for, 2.3.2

- charcoal sources for, 3.4.4

- clamping to mounting frames, 4.3.4

- construction of, 3.4.3

- design of, 3.4.3, 3.4.6

- efficiency of, 3.4.2

- fire hazards in, design for protection against, 2.5.2

- heat effects on, 2.2.4

- ignition temperature of, 3.4.2

- in-place testing of, 8.3.2

- in-place testing of, design considerations for, 8.2.5

- in-place testing of multistage, 8.3.3

- installation of, 4.2

- moisture effects on, 2.2.3

- mounting frames for, 4.3

- mounting frames for, configuration of, 4.3.2

- mounting frames for, fabrication of, 4.3.3

- mounting frames for, leak testing of, 8.2.2

- mounting frames for, structural requirements of, 4.3.1

*Prepared by Theodore F. Davis, ERDA Technical Information Center, Oak Ridge, Tennessee.

- performance of, 3.4.2
- sealing to mounting frames, 4.3.4
- surveillance testing of, 8.3
- testing frequency for, 8.3.5
- visual inspection of, 8.4
- Compartmented unit
 - definition of, 2.4.16
- Component
 - definition of, 2.4.1
- Control systems
 - for glove boxes, 7.5.3
- Dampers
 - acceptance testing of, 5.3.5
 - classification of, 5.3.1
 - con.rol system for, 5.3.4, 5.6.2
 - design of, 5.3.3
 - fabrication of, 5.3.3
 - inlet vane, 5.6.3
 - specifications for, 5.3.1
- Deep-bed glass-fiber filters
 - design and operation of, 9.7.2
 - disposal of spent, 9.7.5
- Deep-bed sand filters
 - design and operation of, 9.6.1
 - disposal of spent, 9.6.4
 - plugging of, 9.6.3
- Demisters
 - airflow distribution testing of, 8.2.4
 - design of, 3.5.2
 - installation of, 4.2
 - knitted fabric type, 3.5.3
 - mounting frames for, 4.3
 - mounting frames for, configuration of, 4.3.2
 - mounting frames for, fabrication of, 4.3.3
 - mounting frames for, structural requirements of, 4.3.1
 - nonwoven fiber mat type, 3.5.3
 - packed-fiber type, 3.5.4
 - perforated-plate type, 3.5.4
 - performance of, 3.5.3
 - use in postaccident cleanup systems for reactors, 3.5.2
 - use with charcoal adsorbers, 3.5
 - use with HEPA filters, 3.5
 - wave-plate type, 3.5.3
- DOP aerosol generator
 - for in-place testing of HEPA filters, 8.3.1
- Ducts
 - anchors for, 5.2.6
 - engineering analysis of, 5.2.3
 - functional design of, 5.2.1
 - hangers for, 5.2.6
 - leak testing of, 8.2.1
 - leaktightness of, 5.2.8
 - mechanical design of, 5.2.2
 - protective coatings for, 5.2.5
 - protective paints for, 5.2.5
 - radiation shielding of, 9.3
 - sound proofing of, 5.2.7
 - supports for, 5.2.6
- Earthquakes
 - effects on high-efficiency air cleaning systems, 9.4.1, Appendix D
- Emergency air cleaning systems
 - design of, 6.5.3
- Entrainment separators
 - (see Demisters)
- Face guards
 - specifications of HEPA filter, Appendix A.4.2.6
- Fans
 - capacity requirements of, 5.4.4
 - installation of, 5.4.6
 - installation of multiple systems of, 5.4.3
 - location of, 5.4.7
 - maintenance of, 5.4.5
 - performance requirements of, 5.4.2
 - reliability of, 5.4.5
 - variable speed control, 5.6.4
- Filter bank
 - definition of, 2.4.5
- Filter media
 - corrosion resistance of HEPA, 3.2.6
 - for HEPA filters, 3.2.2
 - moisture resistance of HEPA, 3.2.6
 - radiation resistance of HEPA, 3.2.6
- Frames
 - for HEPA filters, 3.2.2
- Freon
 - use in testing of charcoal adsorbers, 8.3.2
- Fuel reprocessing plants
 - air cleaning systems for, 9.9
 - air cleaning system for, cost comparison of, 9.9.6
 - Barnwell, air cleaning system for, 9.9.2
 - for HTGR fuels, air cleaning system for, 9.9.5
 - for LMFBR fuels, air cleaning system for, 9.9.3
- Fume hoods
 - HEPA filters for, 6.5.2
- Gaskets
 - adhesives for HEPA filter, 3.2.2
 - for HEPA filters, 3.2.2
 - specifications for HEPA filter, Appendix A.4.2.5
- Glossary, 1.9
 - dictionary of acronyms and initialisms, 1.9.1

Glove boxes

- air cleaning requirements for, 2.2.1
- airflow requirements for, 7.2.3
- control systems for, 7.5.3
- design of, 7.1.1
- evolved gases from, dilution of, 7.2.1
- exhaust cleanup requirements for, 7.2.7
- exhaust filters for, inside location of, 7.3.2
- exhaust filters for, outside location of, 7.3.3
- exhaust HEPA filters for, 7.3.1
- exhaust manifolds for, 7.2.6
- exhaust requirements for, 7.2.4
- explosion protection of, 7.5.1
- filter replacement, 7.4
- filter systems for, design of, 7.3
- fire protection of, 7.5.1
- heat dissipation requirements of, 7.2.2
- HEPA filters for, DOP testing of, 7.5.4
- HEPA filters for, selection of, 7.3.5
- inert atmospheres for, 7.5.2
- inlet HEPA filters for, 7.3.4
- instrumentation for, 7.5.3
- prefilters for, 7.3.6
- pressure-surge relief in, 7.2.5
- protective atmospheres for, 7.5.2
- radiation shielding for, 7.5.5
- vacuum-surge relief in, 7.2.5
- ventilation systems for, 7.2

Hanford Waste Encapsulation and Storage Facility

- air cleaning system for, description of remotely maintained, 9.2.8

HEPA filters

- airflow capacity of, 3.3.3
- airflow capacity testing of, 8.2.3
- airflow distribution testing of, 8.2.4
- airflow resistance of, 3.2.1, 3.3.3
- bank systems of, arrangement of, 4.1, 4.4
- care and handling of, Appendix C
- cases for, corrosion resistance of, 3.2.6
- cases for, moisture resistance of, 3.2.6
- casing materials for, 3.2.2
- change frequency for, 2.3.2
- changing of single systems of, bagging method for, 6.2.3
- clamping to mounting frames, 4.3.4
- classification of, Appendix A.2
- construction of wood- and steel-cased, 3.2.2
- construction specifications for, Appendix 4.3
- corrosion of, 2.2.5
- corrosion resistance of, 3.2.6
- cost of, 3.2.7

- decontamination factor of multistage, increase of, 2.6.2
- definition of, 3.2
- design and uses of cylindrical, 6.4
- dust-holding capacity of, 3.2.1, 3.3.3
- efficiency of, 3.2.1
- efficiency of, effect of airflow uniformity on, 2.3.7
- efficiency requirements of, 1.3
- environmental properties of, 3.2.6
- face guards for, specifications for, Appendix A.4.2.6
- filter media for, 3.2.2
- filter media for, corrosion resistance of, 3.2.6
- filter media for, moisture resistance of, 3.2.6
- filter media for, radiation resistance of, 3.2.6
- fire hazards in, design for protection against, 2.5.2
- fire resistance of, 3.2.5
- frame materials for, 3.2.2
- for fume hoods, 6.5.2
- gasket adhesives for, 3.2.2, Appendix A.4.2.5
- gaskets for, 3.2.2
- for glove boxes, 7.3.4, 7.3.5, 7.5.2
- handling of, Appendix C.5
- heat effects on, 2.2.4
- hot air resistance of, 3.2.6
- housing for single systems of, 6.2
- in-place testing of, 8.3.1
- in-place testing of, design considerations for, 8.2.5
- in-place testing of multistage, 8.3.3
- inspection of, post delivery methods for, Appendix C.2
- inspection of, visual methods for, 8.4
- installation of, 4.2, Appendix C.6
- installation of, human factor aspect of, 6.5.1
- installation of single systems of, 6.2.1, 6.3
- location on mounting frames, upstream vs downstream, 4.4.3
- mechanical properties of, 3.2.4
- moisture effects on, 2.2.3
- moisture protection of, demisters for, 3.5
- moisture resistance of, 3.2.6
- mounting frame materials for, Appendix A.2
- mounting frames for, 4.3
- mounting frames for, configuration of, 4.3.2
- mounting frames for, fabrication of, 4.3.3
- mounting frames for, leak testing of, 8.2.2
- mounting frames for, structural requirements of, 4.3.1
- operation to high pressure drop, 2.3.5
- overpressure in, resistance to, 3.2.4

- packaging and shipping of, Appendix C
 - performance characteristics of, 3.2.1
 - performance requirements of, Appendix A.4
 - plugging resistance of, 3.2.6
 - purchase documents for, Appendix A.7
 - quality assurance requirements for, Appendix A.5
 - radiation resistance of, 3.2.6
 - sealants for, 3.2.2, Appendix A.4.2.4
 - sealants for, hot air resistance of, 3.2.6
 - sealing to mounting frames, 4.3.4
 - separators for, 3.2.2
 - separators for, corrosion resistance of, 3.2.6
 - separators for, hot air resistance of, 3.2.6
 - separators for, moisture resistance of, 3.2.6
 - separators for, qualification test for corrosion resistance of, Appendix A.A
 - separator materials for, Appendix A.2
 - separator materials for, qualification test for moisture resistance of, Appendix A.A.
 - series redundancy in multistage, 2.6.1
 - service life of, effect of overrating on, 2.3.6
 - service life of, effect of prefilters on, 2.3.4
 - service life of, effect of underrating on, 2.3.6
 - shipping of, Appendix C.3
 - shipping of, packaging methods for, Appendix C.1
 - shipping of, preparation for, Appendix A.6
 - shock resistance of, 3.2.4
 - size of, 3.2.1, Appendix A.2
 - specifications for, Appendix A
 - storage of, Appendix C.4
 - supports for, 4.3.5
 - testing frequency for, 8.3.5
 - testing of, post delivery methods for, Appendix C.2
 - testing of, surveillance techniques for, 8.3
 - use in glove box exhaust systems, 7.3.1
 - weight of, 3.2.3
- High-efficiency air cleaning systems**
- acceptance testing of, 8.2
 - air intakes for, 5.5
 - component installation for, 4.2
 - components of, definitions of, 2.4
 - control systems for, description of automatic, 5.6.5
 - control systems for, description of central, 5.6.6
 - cost consideration for, 1.7
 - cost estimation of, forms for, Appendix B
 - dampers for, 5.3
 - deep-bed glass-fiber filters, 9.7
 - deep-bed sand filters, 9.6
 - demisters for use in, 3.5
 - design and construction of, coordination of, 1.6
 - design considerations for, 1.3
 - design of emergency, 6.5.3
 - design of fuel reprocessing plant, 9.9
 - design of portable, 6.5.3
 - design of remotely maintained, 9.2
 - ductwork for, 5.2
 - earthquake protection of, 9.4.1, Appendix D
 - emergency design considerations for, 2.5
 - environmental considerations for, 2.2
 - equipment failure in, design for protection against, 2.5.3
 - exhaust stacks for, 5.5
 - fans for, 5.4
 - filter change in, frequency of, 2.3.2
 - filters used in, 1.3
 - fire control in, 9.5.4
 - fire detection in, 9.5.3
 - fire protection of, 9.5
 - flexibility of, 1.5
 - flexibility of, 1.5
 - housings for, 4, 8.2.1, 9.3
 - instrumentation for, 5.6.7
 - internal components of, 3
 - layout considerations for emergency situations, 2.5.4
 - maintainability of, 2.3.8
 - maintenance of, 2.3.8
 - maintenance of, remote methods for, 9.2
 - mechanical shock in, design for protection against, 2.5.1
 - mechanical vibrations in, 2.2.6
 - moisture effects on, 2.2.3
 - operating modes for, 2.3.1
 - overpressure in, design for protection against, 2.5.1
 - performance testing of, air sampling techniques for, 2.7
 - power outage in, design for protection against, 2.5.3
 - smoke protection of, 9.5
 - space considerations for, 1.4
 - stacks for, 5.5
 - testability of, 2.3.8
 - tornado protection of, 9.4.2
 - zoning for, 2.2.1
- High-efficiency particulate air filters**
(see HEPA filters)
- Hot cells**
- air cleaning requirements of, 2.2.1
 - air cleaning systems for, description of remotely maintained, 9.2.9
- Housings**
- construction of single HEPA filter, 6.2.2
 - design and layout of, 4
 - design of masonry and concrete, 4.5.4

- design of steel, 4.5.3
- doors for, 4.5.7
- drains for, 4.5.8
- floor materials for, 4.5.6
- installation of single HEPA filter, 6.2.4
- leak testing of, 8.2.1
- leaktightness of, 4.5.9
- paints and coatings for, 4.5.11
- radiation shielding of, 9.3
- sealing to mounting frames, 4.5.5
- for single HEPA filter systems, 6.2
- Inert atmospheres**
 - for glove boxes, 7.5.2
- Inorganic adsorbers**
 - for radioiodine, 3.4
- Installed capacity**
 - definition of, 2.4.8
- Instrumentation**
 - for glove boxes, 7.5.3
- Isolable unit**
 - definition of, 2.4.15
- Measuring units**
 - metric equivalents for, 1.9.2
- Mechanical vibrations**
 - effect on high-efficiency air cleaning systems, 2.2.6
- Mist eliminators**
 - (see Demisters)
 - effect on HEPA filters, 2.2.3, 3.2.6
- Moisture separators**
 - (see Demisters)
- Mounting frames**
 - clamping to charcoal adsorbers, 4.3.4
 - clamping to HEPA filters, 4.3.4
 - configuration of, 4.3.2
 - fabrication of, 4.3.3
 - for charcoal adsorbers, 4.3
 - for demisters, 4.3
 - for HEPA filters, 4.3
 - leak testing of charcoal adsorber, 8.2.2
 - leak testing of HEPA filter, 8.2.2
 - materials for, Appendix A.2
 - sealants for HEPA filter, Appendix A.4.2.4
 - sealing to charcoal adsorbers, 4.3.4
 - sealing to HEPA filters, 4.3.4
 - sealing to housings, 4.5.5
 - seals for, 4.3.4
 - structural requirements for, 4.3.1
- Nuclear facilities**
 - air cleaning requirements for different zones of, 2.2.1
 - air-supply filters for, 2.3.3
- Parallel system**
 - definition of, 2.4.11
- Particulates and gases**
 - distribution in urban air, 2.2.2
- Penetrometers**
 - for in-place testing of HEPA filters, 8.3.2
- Portable air cleaning systems**
 - design of, 6.5.3
- Prefilters**
 - airflow capacity of, 3.3.3
 - airflow capacity testing of, 8.2.3
 - airflow distribution testing of, 8.2.4
 - airflow resistance of, 3.3.3
 - change frequency for, 3.3.6
 - classification of, 3.3.1
 - construction of, 3.3.3
 - corrosion resistance of, 3.3.6
 - cost of, 3.3.7
 - design of, 3.3.3
 - dust-holding capacity of, 3.3.3
 - effect on HEPA filter service life, 2.3.4, 3.3.7
 - efficiency of, 3.3.2
 - fire resistance of, 3.3.4
 - for glove boxes, 7.3.5
 - hot air resistance of, 3.3.5
 - maintenance considerations for, 3.3.6
 - moisture effects on, 2.2.3
 - moisture resistance of, 3.3.6
 - performance of, 3.3.2
 - plugging of, 3.3.6
- Protective atmospheres**
 - for glove boxes, 7.5.2
- Radioiodine**
 - removal from air streams, inorganic adsorbers for, 3.4
 - removal from gas streams, charcoal adsorbers for, 3.4
 - use in testing of charcoal adsorbers, 8.3.2
- Radioisotopes**
 - hazard classification of, 2.2.1
- Reactors**
 - air cleaning systems for, 9.8
 - control rooms of, air cleaning systems for, 9.8.6
 - postaccident filter cleanup systems for, use of demisters in, 3.5.2
 - radioactivity containment, design of air cleaning systems for, 9.8
- Reactors (Brookhaven)**
 - air cleaning system for, description of remotely maintained, 9.2.2

- Reactors (Hanford Production)
 - air cleaning system for, description of remotely maintained, 9.2.3
- Reactors (HFIR)
 - air cleaning system for, description of remotely maintained, 9.2.4
- Reactors (high-temperature gas-cooled)
 - postaccident containment of, air cleaning systems for, 9.8.4
- Reactors (light water)
 - postaccident containment of, air cleaning systems for, 9.8.3
- Reactors (LMFBR)
 - postaccident containment of, air cleaning system for, 9.8.5
- Reactors (Savannah River)
 - air cleaning system for, description of remotely maintained, 9.2.5
- Redundant system
 - definition of, 2.4.13
- Sealants
 - for charcoal adsorbers, 4.3.4
 - for HEPA filters, 3.2.2, 4.3.4
 - for HEPA filters, hot air resistance of, 3.2.6
 - for HEPA filters, specifications for, Appendix A.4.2.4
- Segmented system
 - definition of, 2.4.12
- Separators
 - corrosion resistance of HEPA filter, 3.2.6
 - corrosion resistance of HEPA filter, qualification test for, Appendix A.A
 - for HEPA filters, 3.2.2, Appendix A.2
 - hot air resistance of HEPA filter, 3.2.6
 - moisture resistance of HEPA filter, 3.2.6
- Silver nitrate
 - adsorption and retention of radioiodine, 3.4.5
- Silver zeolite
 - adsorption and retention of radioiodine, 3.4.5
- Single-component air cleaning unit
 - definition of, 2.4.9
- Single-path system
 - definition of, 2.4.10
- Smoke protection
 - of high-efficiency air cleaning systems, 9.5
- Stacks
 - design of, 5.5.2
- Standardized terms and phrases
 - definitions of, 1.9.3
- Terms and phrases
 - definitions of, 1.9.3
- Thorium-Uranium Recycle Facility
 - air cleaning system for, description of remotely maintained, 9.2.7
- Tornados
 - effects on air cleaning systems, 9.4.2
- Units of measure
 - metric equivalents for, 1.9.2
- Ventilation system
 - definition of, 2.4.4